Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 33

NUMBER 8

FEBRUARY 22, 1918

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

A State-wide plan for the prevention of venereal disease 223

PREVALENCE OF DISEASE.

United States:
- Extra-cantonment zones—Cases reported week ended February 19 238
- Current State summaries—
  - Alabama 242
  - California 242
  - Georgia 243
  - Indiana 243
  - Kansas 243
  - Louisiana 243
  - Massachusetts 243
  - Minnesota 243
  - Mississippi 243
  - Nebraska 243
  - Ohio 244
  - South Carolina 244
  - Virginia 244
  - Washington 244
- Reciprocal notification—
  - Massachusetts 244
- Cerebrospinal meningitis—
  - State reports for December, 1917, and January, 1918 245
  - City reports for week ended February 2, 1918 245
- Erysipelas—
  - City reports for week ended February 2, 1918 246
- Leprosy—
  - City reports for week ended February 2, 1918 246
- Malaria—
  - State reports for December, 1917, and January, 1918 246
  - City reports for week ended February 2, 1918 247
- Pellagra—
  - State reports for December, 1917, and January, 1918 247
  - City reports for week ended February 2, 1918 247
- Pneumonia—
  - City reports for week ended February 2, 1918 247
- Poliomyelitis (infantile paralysis)—
  - State reports for December, 1917, and January, 1918 248
  - City reports for week ended February 2, 1918 248
- Rabies in animals—
  - City report for week ended February 2, 1918 248
- Smallpox—
  - Missouri—Kansas City 249
  - Texas—Eagle Pass 249
  - State reports for January, 1918 249
  - Miscellaneous State reports 253
  - City reports for week ended February 2, 1918 254

United States—Continued.
Tetanus—
City reports for week ended February 2, 1918 ..... Page. 254
Typhoid fever—
State reports for December, 1917, and January, 1918 255
City reports for week ended February 2, 1918 256
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for December, 1917, and January, 1918 257
City reports for week ended February 2, 1918 257
Foreign:
Jamaica—
Hookworm infection 261
Venezuela—
Relapsing fever—Caracas 261
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended February 22, 1918—
Cholera 261
Plague 262
Smallpox 262
Typhus fever 262
Yellow fever 263
Reports received from December 29, 1917, to February 15, 1918—
Cholera 263
Plague 264
Smallpox 264
Typhus fever 266